


65 inch LCD splicing screen 3.5mm





Shenzhen Qunmao Display Technology Co., Ltd

OEM,ODM source factory for LCD commercial display screens




OEM,ODM source factory for LCD commercial display screens

Model No.: QM-6502			
LCD screen		Power	
Size	65"	Working voltage	AC110V~220V 50/60Hz
Active Display Area	1428.48x803.52mm	BiggestWatt	<500W
AspectRatio	16:9	Standby Watt	0.5W
Bezel	3.5mm	Working environment	
Backlight	DLED	Working temperature	-20~70°
Native Resolution	3840x2160pixels	Storage temperature	-30~80°
Brightness	500cd/m ²	Lifetime	80000H
ContrastRatio (Type)	5000:1	Humidity	10~80%RH
Balance	99%	Mechanical dimension	
DisplayColor	8 bit/16.7M	ChassisMaterial	Metal
Gamut	72%	ChassisColors	Black
View angle	89°/89°/89°/89° (min) (CR≥10)	Product Size (Wall mounting bracket included)	1432.58x80x807.62mm
Response Time (Gray to Gray)	6ms	Product Size (Wall mounting bracket included)	1432.58x125x807.62mm
Port		Packing Carton Dimension	1520x305x895mm (2 pcs per carton)
HDMI	*1 HDMI IN	NetWeight	21.5kg
DVI	*1 DVI IN	Gross Weight	47.8kg(2pcs)
USB	*1 USB		
DP	*1		
VGA	*1		
AV	*1		
RS232	*1 RS232 IN; 2 RS232 OUT		

Accessories		Installation (optional)	
Power cable	*1	Wall mount	
LAN cable	*1	Floor stand	
Hook	*4	Arm bracket	
Bolts	*1包/onepack	Cabinet	
Signalport (not standard on every unit)			
Remote contro	*1		
Remote receiver	*1		
RS232 /Convert	*1		
Guarantee card	*1		
QC pass	*1		

安装方式

Installation



壁挂式

Wall mounted



机柜式

Cabinet



落地支架式

Floor standing



前液压维护

Arm bracket