

# 21.5" Elevator Digital Signage

--Android version

## Tech specification

### Catalogue

|                           |   |
|---------------------------|---|
| Product Description.....  | 2 |
| Display parameter.....    | 3 |
| System configuration..... | 3 |
| System Function.....      | 4 |
| Software function.....    | 4 |
| Machine parameter.....    | 5 |
| Electrical features.....  | 5 |
| Packing list.....         | 5 |
| Diagram.....              | 6 |

|                  |            |       |
|------------------|------------|-------|
| version          | drawing    | audit |
| 21.5-Android-9.0 |            |       |
| Revised date     | 2024-06-26 |       |



### Product Description

- ◆ Appearance: Integrated frame, beautiful appearance without borders, easy installation and maintenance
- ◆ UHD: The use of IPS HD LCD panel, gorgeous color, high brightness, support 4K video, image decoding and playback, to achieve high-quality picture output display
- ◆ Intelligent: Equipped with intelligent Andorra operating system, pre-installed front-end presentation software and powerful
- ◆ Scenarios: Widely used in government, education, finance, transportation, hotels, supermarkets, exhibition halls, medical, catering, enterprises and other industries
- ◆ High-end: beauty, UHD, easy to use, commercial use and intelligent etc. high-eng and popular

### Display parameter

|                |                     |
|----------------|---------------------|
| Brand          | QUNMAO              |
| Model          | QM-2721FZ-S         |
| Screen Size    | 21.5inch            |
| Resolution     | 1920*1080           |
| Angle of view  | 89/89/89/89         |
| Contrast ratio | 3000: 1             |
| Display size   | 477.5×269.2mm (H×V) |

|              |              |
|--------------|--------------|
| Display rate | 16:9         |
| Back light   | LED          |
| Brightness   | ≥250cd/m2    |
| Refresh rate | 60HZ         |
| Color        | 16.7M(8-bit) |

### System configuration

|                      |                                                 |
|----------------------|-------------------------------------------------|
| Operation system     | Android                                         |
| Version              | 9.0                                             |
| CPU                  | V352 Quad core A53, Main frequency up to 1.9GHz |
| GPU                  | Mali T450                                       |
| RAM                  | 2GB                                             |
| Storage memory       | 32GB                                            |
| Interface            | USB 2.0 *2 RJ45*1 HDMI IN*1 TF Card*1           |
| Audio interface      | 3.5mm ear jack*1                                |
| Network              | 1pc, 10M/100M Adaptive Ethernet                 |
| WIFI、BT              | Built in WIFI (2.4G single-signal) , BT4.2      |
| 3G/4G                | Choose to install                               |
| Pre-install software | Display software                                |

### System Function

|                         |                                                                           |
|-------------------------|---------------------------------------------------------------------------|
| Decoding Capability     | Supports 4K video and picture decoding and playback                       |
| Software application    | Support to install the third-party software                               |
| Language                | English etc language                                                      |
| Boot Animation          | Support to customize                                                      |
| Infrared remote control | Operate system by remote control                                          |
| Audio function          | Support left/right channel output,built-in double 8Ω/9.5W power amplifier |
| Power-on/off            | Remote control/timing/network wake-up/self-start                          |
| System authorization    | Allow root permission and customize software development                  |

|               |                                                                   |
|---------------|-------------------------------------------------------------------|
| Mouse mode    | support wired/wireless mouse or use keyboard                      |
| System update | Support local and remote upgrade                                  |
| Play mode     | Audio: MP3,WMA,WAV, APE, FLAC, AAC, OGG,M4A,3GPP etc              |
|               | Picture: JPG、BMP、PNG etc                                          |
|               | Video: AVI, rm, rmvb, MKV, WMV, MOV, MP4 etc                      |
| Typing        | Standard Android keyboard as default,can install the third typing |
| More function | follow instruction manual/video or contact supplier               |

### Software function

|                         |                                                                               |
|-------------------------|-------------------------------------------------------------------------------|
| Background support      | Web/mobile IE (local network/WAN)                                             |
| Play mode               | Networking/standalone                                                         |
| Play support            | video、picture、subtitles、PPT、web、weather、clock etc mixture to play             |
| Smart splicing          | support custom playing modes to splice as setting                             |
| Timing function         | support to set playing custom program in time period                          |
| Terminal administration | Administrator can create and modify account for level-to level administration |
| More function           | follow instruction manual/video or contact supplier                           |

### Machine parameter

|                  |                                                   |
|------------------|---------------------------------------------------|
| Color            | White                                             |
| Frame material   | Aluminum profile                                  |
| Body Material    | Hardware cold-rolled steel plate (metal spraying) |
| Product size     | 680.5*315.2*24.7mm                                |
| Packing size     | 845*474.3*104.5mm                                 |
| Bracket          | Universal for horizontal/vertical hanging         |
| Packing material | Carton                                            |
| Net/gross weight | 5KG/6KG                                           |
| Install ways     | mount-on wall/embedding/hang/bracket              |


**Electrical features**

|                      |                                          |
|----------------------|------------------------------------------|
| Scenarios            | indoor                                   |
| Rated Voltage        | AC110-220V                               |
| Stand by power       | $\leq 0.5W$                              |
| Power Consumption    | $\leq 45W$                               |
| Suitable Environment | Temperature -0℃~55℃/Humidity 10%RH~90%RH |
| Storage Environment  | Temperature-5℃~60℃/Humidity 10%RH~90%RH  |

**Packing List**

|                                |     |
|--------------------------------|-----|
| 21.5" Elevator Digital Signage | 1pc |
| Power cable                    | 1pc |
| Remote control                 | 1pc |
| WiFi antenna                   | 1pc |
| Warranty card                  | 1pc |

Diagram





HD display



Intelligent split screen



Link WiFi



Remote  
management

**178°**

Super wide Angle



Loop play



Timing switch



Usb flash  
drive import